

Barcode



For lab use only

Barcode	Notes
Date of sample arrival	



IDEXX Reference Laboratories

Postal address for sample submission:
 Vet Med Labor GmbH
 Im Moldengraben 65
 D-70806 Kornwestheim
 Germany
 Unit 7, Kyalami Village
 57 Forssman Close
 Barbeque Downs, Kyalami
 Midrand
 South Africa

Tel. SA +27 11 691 8200 +27 (0) 10 500 2080
 Lab-SA@idexx.com
 www.idexx.co.za

Reason for testing

Travel

(Re-) Import into EU
For South African vets only: Please specify country: _____

Import to other non-EU countries**

** Please inform yourself about the valid travelling guidelines before travelling to non-EU countries.

Test cannot be used to diagnose or rule out rabies infection.

Rabies antibody testing INT ZA in animals

Using "fluorescent antibody virus neutralisation" (FAVN) test according to the O.I.E. "Manual of standards of diagnostic tests and vaccines"

Please use this form only (**complete in capitals or typewritten**). In accordance with regulations of the importing countries only **fully completed** sample submission forms can be processed.

The certificate of the rabies antibody test result will be sent to you by post.

Sample material*: 1ml Serum (in serum tube)

Submitting veterinary clinic

Clinicname Submitting Vets Full Name¹

Clinic address/Country Clinic full name, full address & country¹

Owner (required for travel purpose)

Family name/First name

Address/Country

Signature of the owner

Animal A microchip implantation is required prior to vaccination.

Species _____

Name _____

Sex Male Female Neutered

Date of Birth/Age _____

Breed _____

Microchip No. _____

Tattoo No. _____

Date of implantation

Rabies vaccination

Vaccine Brand _____

Batch No. _____

Date of last vaccination

Date of sample collection AND microchip reading

I hereby confirm the above details are correct. IDEXX considers proper processing of personal data to be highly important and has adopted the privacy policy which can be found on www.idexx.com/privacy

Date

Signature and stamp of the submitting veterinary surgeon¹

*Please note: **ONLY SERUM OF GOOD QUALITY** (not lipaemic and not haemolytic) can be processed. No other tests can be performed on the sample. Please ensure correct identification of the sample with microchip No., animal's name and owner's name, and barcode where applicable.
¹Mandatory field

09-0011300-03 2024-V1